

# 3000R<sup>®</sup> REEFER SERIES



**3000R<sup>®</sup>**



THE WORLD'S LEADING PRODUCER OF QUALITY, LIGHT WEIGHT TRAILERS.

# KEEPING DELIVERIES COLD AND SAFE FOR GENERATIONS



When brothers E.W. and H.C. Bennett founded Utility Trailer Manufacturing Company in 1914, they had one simple goal: to build the highest quality trailers available. Over ninety years later, the company they started still lives up to that mission.

Over 100 independent dealer locations are staffed with experienced professionals who take time to understand your business. You'll meet with your dealer to discuss expectations, operational requirements, and past experience. Together, you will decide which trailer best meets your hauling needs.

At Utility, reliability and durability are not just buzzwords, they are our legacy...and our future.




## WHY UTILITY IS THE HOTTEST NAME IN COLD TRANSPORT

When you consider the lower tare weight and greater payloads of Utility's 3000R®, it's easy to see how it became America's top selling reefer. You'll find features that exceed industry standards including: highest rated floors with 16,000 lb. capacity, built in thermal breaks,

stainless steel rear door frame, and our patented Barrier Door®. You can also customize your reefer with any number of options to ensure that you get exactly the trailer your company requires.



HIGHER CUBE + LOWER WEIGHT = GREATER PAYLOADS



THE RELIABLE CHOICE IN REEFERS.



# 3000R® FEATURES: RELY ON US FOR THE STANDARD FEATURES YOU WANT



## Patented Barrier Rear Doors

Bonded foam sandwich design features less heat loss with greater durability. External hardware mounting means no moisture path to foam cavity.



## Stainless Steel Rear Frame

Does not require painting and resists corrosion. Increases resale value. Satin finish stainless steel for uniform good looks and durability.



## Unique Wedge Gaskets

Multi-point contact with door frame and buckplate for better seal and less air loss. More sealing surface area than any other gasket design.



## Impact-Absorbing Rear Gusset

13-1/2" deep rear gusset connects rear door frame to bottom rail. Reduces dock damage to adjacent structures and provides a recessed area to protect lower rear lights.



## Utility Designed Door Hardware

Provides greater gathering ability and easier locking. Features standard aluminum hinges and standard center cam which provides increased stiffness and reduces air loss.



## Landing Leg Support and Bracing

High tensile steel wingplates with collared holes and embossed ribs for maximum strength and lower tare weight. Formed channel x-braces distribute leg forces into the full width of the leg.



## Standard Stainless Steel Covered Extruded Aluminum Corner Posts

Provides greater durability and ease of cleaning. Extruded aluminum post for greater strength and ease of repair.



## Air Ride Suspension

Standard air ride suspension is designed in, not just added as an option, resulting in lower tare weight and more available payload. Standard 96" slider travel provides more versatility, weight distribution, maneuverability and bridge law compliance.



## Refrigeration Support Posts

3-1/4" deep galvanized steel support posts ensure greater durability. 3/4" thick "heat breaker" between support post and interior lining reduces heat transfer and raises efficiency.



## Highest Rated Floor System

Features 16,000 lb. dynamic fork truck capacity floor, 100% hardwood floor fillers, aluminum I-beam floor cores, an additional cross member, patented floor attachment, and an all aluminum support grid.



## Lining Corner Closures

Each extruded aluminum closure joint encapsulates the adjacent lining for greater ability to protect against moisture intrusion into the foam insulation.



## Integrated 10" High Heavy Duty Wearband

Provides greater protection against fork truck abuse. 3/16" Thick at bottom for strength tapering to .100" at top. No exposed fasteners to back out or leak moisture into foam insulation.

# 3000R® FEATURES: OUR STANDARD FEATURES EXCEED INDUSTRY STANDARDS



## Heavy Duty Floor Planks

1-3/8" deep floor planks have raised ridges for application of available "knurled" surface. Ensures lower maintenance cost.



## Tensioned Roof Skin

Roof skin is tensioned like a drum and is bonded to insulation for increased strength. Edges are mechanically formed around top rails to reduce moisture intrusion and insure thermal efficiency.



## 5/16" Thick Dock Board Guide Plates

Protects rear of floor from dock plate damage. Increases durability and reduces maintenance costs.



## Thermal Barriers

This low conduction barrier between threshold and buckplate reduces heat transfer for greater thermal efficiency. The 3000R® has been designed with strategically placed thermal barriers to optimize thermal performance.



## Foam in Place Insulation

High pressure foam injection system completely fills all cavities. No foam voids. Guaranteed. State of the art process lowers heat loss for greater efficiency and lower fuel costs.



## Corrosion Protection

King pin section completely immersed in rust preventative coating for increased service life and reduced maintenance costs. Rust preventative coating is applied to undercarriage steel parts for durability.



## LED Lights

LED lights on top rails and rear header provide up to 10,000 hours of service, lowering your maintenance cost.



## Side Wall and Ceiling Lining

Installed in one piece without fasteners. All edge joints are "captured" in aluminum channel shaped extrusions for maximum resistance to moisture entry. Provides greater durability and improved thermal efficiency.



## Exterior Mount Nose Box

Provides easy access to both air and electrical connections for reduced maintenance costs. Stainless steel lower "hat" section protects lines from damage during coupling.



## Wiring System

Warranted for 10 years. Internally grounded system with soldered joints and molded connectors for maximum life and minimum maintenance costs.



## Shallow Design Door Header

Provides maximum door opening height at rear door for greater load versatility. Minimizes load damage. Wedge shaped header design reduces air loss, and increases thermal efficiency.



## 5-1/2" Deep Extruded Aluminum Cross Members

These cross members in the bay area increase floor strength and reduce tare weight. They also provide greater durability and higher payloads.

# DESIGN YOUR IDEAL TRAILER WITH UTILITY'S UNIQUE OPTIONS

With so many available options, the Utility 3000R® can be customized to suit your exact transportation needs. In fact, the only option not available is...reliability. That comes standard on every trailer Utility makes.\*



Custom Wearbands



Grab Handles



Factory Installed Refrigeration Units



Higher Gross Vehicle Weight Ratings



Diamond Pattern Stainless Steel Door Skin



Retractable Platforms and Stairs



New Vortex™ Removable Air Return Bulkheads



Piggyback Lift Pads



Recessed Logistic Track



Multiple Strip Curtain Configurations



Walk Ramps from All Major Suppliers



"Wide Track Suspension System" for Wide Single Tires



Durable Stainless Steel Side Skin



Side and Rear Steps



Remote Evaporators



Roll Up Door Installations



Customized Floor Systems



Factory Installed Lift Gates



High Strength Linings



Single Axle Models



Verta-Lock® Load Restraining System



Wide Range of Dome Lights



Remote ERC Switches



Electrical System Options

\*For other options, check with your dealer for availability.



17295 E. Railroad St., City of Industry, CA 91748  
For more information visit [www.utilitytrailer.com](http://www.utilitytrailer.com)